Journal of Microbiological Methods 1 (1983) 357–359
Elsevier

Author index

Bannister, E.R., Hill, C.Y. and Manos, J.P.
Direct susceptibility testing on positive blood cultures using Autobac, I, 203
Belfort, M.
Application of the microwave oven to scale-up in biological temperature-shift experiments, 191
Bergman, R., Larsson, L., Odham, G. and Westerdahl, G.
Selected ion monitoring for rapid differentiation of mycobacteria isolated from domestic animals, 19
Blackall, P.J.
An evaluation of methods for the detection of carbohydrate fermentation in avian *Haemophilus* species, 275
Bradley, D.E. and Fleming, J.
Incompatibility group identification for repressed plasmids using host cell lysis by specific bacteriophages, 171
Brummer, E., see Sugar, A.M., 127

Chan, E.C.S., see Tam, Y.-C., 255
Clarke, K.R. and Owens, N.J.P.
A simple and versatile micro-computer program for the determination of 'most probable number', 133
Clarke, E.M., White, J.F. and Patterson, R.M.
Improved histochemical techniques for the detection of *Acremonium coencephialum* in tall fescue and methods of in vitro culture of the fungus, 149
Coleman, G. and Garbutt, I.T.
A simple small-scale culture vessel suitable for comparative studies on facultative anaerobes growing under aerobic and anaerobic conditions, 177
Cullen, W.R., Erdman, A.E., McBride, B.C. and Pickett, A.W.
The identification of dimethylphenylarsine as a microbial metabolite using a simple method of chemofocusing, 297

De Kock, M.J., see Jacobs, C.J., 339
Diedrich, D.L., Domenico, A.R. and Fralick, J.A.
Influence of urea on the resolution of lipopolysaccharides in sodium dodecylsulfate polyacrylamide gels, 245
Domenico, A.R., see Diedrich, D.L., 245

Eley, L.F., see Poindexter, J.S., 1
Erdman, A.E., see Cullen, W.R., 297

Fleming, J., see Bradley, D.E., 171
Flossdorf, J.
A rapid method for the determination of the base composition of bacterial DNA, 305
Fralick, J.A., see Diedrich, D.L., 245

Garbutt, I.T., see Coleman, G., 177
Gehron, M.J. and White, D.C.
Sensitive assay of phospholipid glycerol in environmental samples, 23
Godchaux, W., III and Leadbetter, E.R.
Purification of the *N*-acylaminosulfonates, unusual lipids of gliding bacteria, 41
Gordon, A.S. and Millero, F.J.
Measurement of the activity of attached bacteria using a sorption microcalorimeter, 291

Hada, H.S., Krichevsky, M.I. and Sizemore, R.K.
The use of cluster analysis to help determine the function of plasmids in marine *Vibrio* species, 229
Hampton, K.D. and Wasilauskas, B.L.
Serological identification of group D streptococci using commercial antisera, 119
Hashimoto, T.
A micromethod for the quantitative determination of the viability of *Candida albicans* hyphae, 89
Hill, C.Y., see Bannister, E.R., 203
Holder-Franklin, M.A. and Wuest, L.J.
Population dynamics of aquatic bacteria in rela-

tion to environmental change as measured by factor analysis, 209
Hood, M.A., see MacDonnell, M.T., 81

Ito, A., see Sato, H., 99

Jacobs, C.J., Prior, B.A. and De Kock, M.J.
A rapid screening method to detect ethanol production by microorganisms, 339
Janda, I., see Šťastná, J., 267
Judes, H., see Rosenberg, M., 239

Kaneshiro, E.S., see VanDenBrink, S.E., 139
Keast, D. and Sanfelieu, L.
A radiotracer microculture technique for the mass screening of isolates of soil actinomycetes for antibiotic activity, 157
Klinger, K.W.
Micromethods for the spectrophotometric determination of bacterial protease activities, 329
Krichevsky, M.I., see Hada, H.S., 229

Larsson, L., see Bergman, R., 19
Leadbetter, E.R., see Godchaux, W., III, 41
Lloyd, D. and Scott, R.I.
Direct measurement of dissolved gases in microbiological systems using membrane inlet mass spectrometry, 313

McBride, B.C., see Cullen, W.R., 297
MacDonnell, M.T., Singleton, F.L., Roszak, D.B., Hood, M.A., Tison, D.L. and Seidler, R.J.
Rapid GC mol% screening of primary culture lysates using horizontal slab gel electrophoresis, 81
Makemson, J.C.
A simple assay of cyclic-AMP phosphodiesterase in the presence of interfering enzymes in *Vibrio harveyi*, 283
Malik, K.A.
A modified method for the cultivation of phototrophic bacteria, 343
Manos, J.P., see Bannister, E.R., 203
Martz, R.F., Sebacher, D.I. and White, D.C.
Biomass measurement of methane forming bacteria in environmental samples, 53
Millero, F.J., see Gordon, A.S., 291
Misri, R. and Poole, R.K.
An apparatus for the continuous and simultaneous monitoring of oxygen and solute uptake by growing microbial cultures. Application to synchronous and asynchronous cultures of *Escherichia coli*, 181
Moench, T.T. and Zeikus, J.G.
An improved preparation method for a titanium(III) media reductant, 199
Moriarty, D.J.W.
Measurement of muramic acid in marine sediments by high performance liquid chromatography, 111

Odham, G., see Bergman, R., 19
Odham, G., see Tunlid, A., 63
Owens, N.J.P., see Clarke, K.R., 133

Patterson, R.M., see Clarke, E.M., 149
Pickett, A.W., see Cullen, W.R., 297
Poindexter, J.S. and Eley, L.F.
Combined procedure for assays of poly-β-hydroxybutyric acid and inorganic polyphosphate, 1
Poole, R.K., see Misri, R., 181
Prior, B.A., see Jacobs, C.J., 339

Reichenbach, H.
A simple method for the purification of myxobacteria, 77
Rosenberg, M., Judes, H. and Weiss, E.
Desorption of adherent bacteria from a solid hydrophobic surface by oil, 239
Roszak, D.B., see MacDonnell, M.T., 81

Sanfelieu, L., see Keast, D., 157
Sato, H., Sato, Y. and Ito, A.
Affinity of pertussis toxin produced by *Bordetella pertussis* for human haptoglobin: application to the in vitro assay of the toxin, 99
Sato, Y., see Sato, H., 99
Scott, R.I., see Lloyd, D., 313
Sebacher, D.I., see Martz, R.F., 53
Seidler, R.J., see MacDonnell, M.T., 81
Singleton, F.L., see MacDonnell, M.T., 81
Sizemore, R.K., see Hada, H.S., 229
Šťastná, J. and Janda, I.
Production, long term preservation and synchronous germination of aerial spores of *Streptomyces*, 267
Stevens, D.A., see Sugar, A.M., 127
Sugar, A.M., Brummer, E. and Stevens, D.A.
Comparisons and applications of methods for assessing the cellular viability of *Blastomyces dermatitidis*, 127

Tam, Y.-C. and Chan, E.C.S.
Modifications enhancing reproducibility and sensitivity in the turbidimetric assay of hyaluronidase, 255

Tison, D.L., see MacDonnell, M.T., 81
Tunlid, A. and Odham, G.
Capillary gas chromatography using electron capture or selected ion monitoring detection for the determination of muramic acid, diaminopimelic acid and the ratio of D/L-alanine in bacteria, 63

VanDenBrink, S.E. and Kaneshiro, E.S.
A simple and direct method for recording swim tracks of protozoa: effects of lectins on *Paramecium*, 139

Wasilauskas, B.L., see Hampton, K.D., 119
Weiss, E., see Rosenberg, 239
Westerdahl, G., see Bergman, R., 19
White, D.C., see Gehron, M.J., 23
White, D.C., see Martz, R.F., 53
White, J.F., see Clarke, E.M., 149
Wissing, F.
Anaerobic column chromatography in the presence of detergents and its application to a bacterial HCN-producing enzyme, 33
Wuest, L.J., see Holder-Franklin, M.A., 209

Zeikus, J.G., see Moench, T.T., 199

Journal of Microbiological Methods 1 (1983) 360, 361
Elsevier

Subject Index

Acinetobacter, 239
Actinomycetes, 157
Activation, 267
Adherence, 239
Aerobic conditions, 177
Anaerobes, 199
Anaerobic chromatography, 33
Anaerobic conditions, 177
Anaerobic microbes, 53
Antibiotics, 157
Aquatic bacteria, 209
Attached bacteria, 291
Autobac I, 203

Bacteriophages, 171
Biomass, 53
Blastomyces dermatitidis, 127
Blastomycosis, 127
Blood cultures, 203
Buoyant density, 305
Butyribacterium methylotrophicum, 199

Candida albicans hyphae, 89
Capillary GC, 63
Capnoids, 41
Carbohydrate fermentation, 275
Carbon dioxide, 313
Caulobacter crescentus, 1
Chemofocusing, 297
Coagglutination, 119
Continuous oxygen monitoring, 33
Cryptic plasmids, 229
Cultivation, 343
Culture vesels, 177
Cyclic AMP, 283

D/L-Alanine, 63
Dark-field illumination, 139
Desorption, 239
Diaminopimelic acid, 63
Dimethylphenylarsine, 297
Direct susceptibility test, 203
Dissolved gas measurement, 313
DNA base composition, 305
DNA, extrachromosomal, 229

Electron capture detection, 63
ELISA, 99
Enterococcus, 119
Epichloe typhina, 149
Escherichia coli, 181
Ethanol detection, 339
Evaluation, 275

Factor analysis, 209
Facultative anaerobes, 177
Fermentation monitoring, 313
Fescue toxicosis, 149
Festuca arundinacea, 149
Flow dialysis, 181
Fungal viability, 127

Gas chromatography, 19
GC mol%, 81
Gel electrophoresis, 81
Gliding bacteria, 41
Glycerol, 23
Group D streptococci, 119

Haemophilus, 275
Haptoglobin, 99
High performance liquid chromatography, 111
Hyaluronidase, 255
Hydrocyanic acid-producing enzyme, 33
Hydrogen sulphide, 313
Hydrogen, 313
Hydrophobicity, 239

Immunofluorescence, 127
In vitro assay, 99
Incompatibility groups, 171
Inorganic polyphosphate, 1
Intracellular polymer granules, 1
Ion monitoring, 19

Lectins, 139
Lipids, 41
Lipopolysaccharide, 245

Mass spectrometry, 19, 313
Massive spore production, 267
Media reductant, 199
Media, 343
Membrane inlet, 313
Methane bacteria, 53
Methane formation, 53
Methane, 313
Micro-computer program, 133
Microbial biomass, 23
Microbial metabolite, 297
Microcalorimetry, 291
Microfiltration, 329
Micromethod, 305
Micromethods, *Candida* viability test, 89
Microtiter trays, 329
Microwave oven, 191
Most probable number, 133
Muramic acid, 63, 111
Mycobacterium spp., 19
Myxobacteria, 77

Nitrogen, 313
Non-foaming deoxygenation, 33
Numerical taxonomy, 229

Oils, 239
Oxygen electrode, 181
Oxygen, 313

Paramecium, 139
PEI cellulose, 283
Periodic acid-Schiff stain, 245
Pertussis toxin, 99
Petri dish, 339
Phosphodiesterase, 283
Phospholipid measurement
Phototropic bacteria, 343
Plasmid phenotypes, 229
Plasmids, repressed, 171
Poly-ß-hydroxybutyric acid, 1
Polystyrene, 239
Population parameters, 209
Primary culture lysates, 81
Product amplification of cloned genes, 191
Protease, 329
Purification method, 77

Radiotracers, 157
Replica plating, 275
Repressor inactivation, 191

SDS gels, 245
Sedimentary biomass, 23
Seed, 149
Selected ion monitoring, 63
Silver stain, 245
Spectrophotometric assay, 329
Streptococcus bovis, 119
Streptomyces aerial spores, 267
Sulfonolipids, 41
Swimming behavior, 139
Synchronous cultures, 181
Synchronous germination, 267

Temperature shift, rapid, 191
Titanium(III) nitrolotriacetate, 199
Turbidimetric assay, 255

Viability of *Candida*, 89
Vibrio alginolyticus, 291
Vibrio harveyi, 283